International Journal of Quantum Chemistry Author Index—Volume 59

Adhikari, S.
—; Dutta, P.; Bhattacharyya, S. P.: Applications of a Local Grid Method for Modeling Chemical Dynamics at a Mean-Field Level, 109

Alpert, B.
—; Le Tilly, V.; Pin, S.; Sire, O.; Zentz, C.: Do the Hemoproteins Behave as a Dissipative Structure?, 281

Bergström, R.
—; Lunell, S.; Eriksson, L. A.: Comparative Study of DFT Methods Applied to Small Titanium/Oxygen Compounds, 427

Besançon-Yoshpe, I. See Jamin, N., 333

Bhattacharyya, K.
—; Pathak, R. K.: Degeneracy in One Dimension: Role of Singular Potentials, 219

Bhattacharyya, S. P. See Adhikari, S., 109

Bishop, D. M.
—; Pipin, J.: High-Order Multipolar Hyperpolarizabilities with Imaginary Frequency for H and He, 103

Blumhagen, K.
—; Muegge, I.; Knapp, E. W.: Diffusion of Two Different Water Models and Thermal Conductivity in a Protein–Water System, 271

Bostad, A. See Jamin, N., 333

Buemi, G.
Conformational Analysis and Rotation Barriers of 2-Aminoethanethiol and 2-Aminoethanol: An Ab Initio Study, 227

Cambell, L.
—; Matsen, F. A.: The Ising Free-Energy Functional, 391

Casu, M. See Saba, G., 343

Chu, S.-Y. See Su, Y.-N., 487

Clementi, E.
—; Parak, F.: Forword to Special Issue on The Dynamics of Protein Structure, 261
—; See Corongiu, G., 119

Cohen, J. M.
—; Goodson, D. Z.: Unified Approach to Molecular Structure and Molecular Vibrations, 445

Cordone, L. See Gilch, H., 301

Corongiu, G.
—; Estrin, D.; Murgia, G.; Paglieri, L.; Pisani, L.; Suzzi Valli, G.; Watts, J. D.; Clementi, E.: Revisiting the Potential Energy Surface for $[H_3N \cdots HCl]$: An Ab Initio and Density Functional Theory Investigation, 119
—; See Schmidt, M., 263

Cremer, D. See He, Z., 15, 31, 57, 71

Cupane, A. See Gilch, H., 301

Dai, S. See Ye, S., 421

Das, G. P.
—; Yeates, A. T.: Transport of Solitons in *trans*-Polyacetylene, 251

Datta, S. N.
—; Mallik, B.: Transport of Excitation Energy in a Three-Dimensional Doped Molecular Crystal. IV. Fourth-Order Propagation, Exciton Clothing, and Exciton Diffusion, 147

Dobson, C. M. See Smith, L. J., 315

Dreybrodt, W. See Gilch, H., 301

Dutta, P. See Adhikari, S., 109

Eid, R. See Taşeli, H., 183

Eriksson, L. A. See Bergström, R., 427

Estrin, D. See Corongiu, G., 119

Fushman, D.
—; Weisemann, R.; Thüring, H.; Ohlenschläger, O.; Rüterjans, H.: Backbone Dynamics of Proteins Studied by Two-Dimensional Heteronuclear NMR Spectroscopy and Molecular Dynamics Simulations, 291

Gabrielsen, O. S. See Jamin, N., 333

Gal, J.-F.
—; Koppel, I.; Kurg, R.; Maria, P.-C.: PM3 Semiempirical Calculations of Lithium-Cation and Proton Affinities for XYZPO and $XYSO_2$ Compounds, 409

Gdanitz, R. J.
—; Röhse, R.: Erratum: A Formulation of Multiple-Reference CI with Terms Linear in the Interelectronic Distances. II. An Alternative Ansatz, 505

Gilch, H.
—; Schweitzer-Stenner, R.; Dreybrodt, W.; Leone, M.; Cupane, A.; Cordone, L.: Conformational Substrates of the Fe^{2+}–His F8 Linkage in Deoxymyoglobin and Hemoglobin Probed in Parallel by the Raman Band of the Fe–His Stretching Vibration and the Near-Infrared Absorption Band III, 301

Goodson, D. Z. See Cohen, J. M., 445

Harris, F. E. See Koures, A. G., 3

He, Z.
—; Cremer, D.: Sixth-Order Many-Body Perturbation Theory. I. Basic Theory and Derivation of the Energy Formula, 15

—; Cremer, D.: Sixth-Order Many-Body Perturbation Theory. II. Implementation and Application, 31
—; Cremer, D.: Sixth-Order Many-Body Perturbation Theory. III. Correlation Energies of Size-Extensive MP6 Methods, 57
—; Cremer, D.: Sixth-order Many-Body Perturbation Theory. IV. Improvement of the Møller–Plesset Correlation Energy Series by Using Padé, Feenberg, and Other Approximations up to Sixth Order, 71

Ishida, K.
ACE Algorithm for the Rapid Evaluation of the Electron-Repulsion Integral Gaussian-Type Orbitals, 209

Jamin, N.
—; Le Tilly, V.; Zargarian, L.; Bostad, A.; Besançon-Yoshpe, I.; Lirsac, P.-N.; Gabrielsen, O. S.; Toma, F.: Preliminary Investigation of the Interaction Between the R2R3 DNA Binding Domain of the Oncoprotein c-Myb and DNA Fragments, 333
Jankowski, K.
—; Malinowski, P.: Application of the Valence-Universal Coupled-Cluster Method Based on Various Model Spaces. II. Nonstandard Solutions for Be, 239
Jursic, B. S.
—; Martin, R. M.: Calculation of Bond Dissociation Energies of Oxygen Containing Molecules by Ab Initio and Density Functional Theory Methods, 495

Kawabe, H.
—; Nagao, H.; Nishikawa, K.: Path Integral Formulation for Many-Electron System, 457
Knapp, E. W. See Blumhagen, K., 271
Koppel, I. See Gal, J.-F., 409
Koures, A. G.
—; Harris, F. E.: Improved Correlation Energy Functional, 3
Kurg, R. See Gal, J.-F., 409

Lai, A. See Saba, G., 343
Leone, M. See Gilch, H., 301
Le Tilly, V. See Alpert, B., 281
—; See Jamin, N., 333
Linderberg, J.
Review of *Algebraic Theory of Molecules*, by F. Iachello and R. D. Levine, 403
Lirsac, P.-N. See Jamin, N., 333
Löwdin, P.-O.
International Journal of Quantum Chemistry—A Journal Devoted to Quantum Theory and Computations in Chemistry, Condensed Matter Physics, and Biology: Editorial—Program and Policies, 1
Lunell, S. See Bergström, R., 427

Malinowski, P. See Jankowski, K., 239
Mallik, B. See Datta, S. N., 147
Maria, P.-C. See Gal, J.-F., 409
Matsen, F. A. See Cambell, L., 391
Mezey, P. G. See Zimpel, Z., 379
Morley, J. O.
A Theoretical Analysis of the Structure and Electronic Properties of 2-Nitrophenylcyanate and 2-Nitrophenylthiocyanate, 167
Calculation of the Frequency-Dependent Hyperpolarizability of Donor–Acceptor Azabutadiences, 401
Muegge, I. See Blumhagen, K., 271
Murgia, G. See Corongiu, G., 119

Nagao, H. See Kawabe, H., 457
Nishikawa, K. See Kawabe, H., 457

Ohlenschläger, O. See Fushman, D., 291

Paglieri, L. See Corongiu, G., 119
Panin, A. I.
—; Simon, K. V.: Configuration Interaction Spaces with Arbitrary Restrictions on Orbital Occupancies, 471
Parak, F. See Clementi, E., 261
—; See Schmidt, M., 263
Pathak, R. K. See Bhattacharyya, K., 219
Penotti, F. E.
Generalization of the Optimized-Basis-Set Multiconfiguration Spin-Coupled Method for the Ab Initio Calculation of Atomic and Molecular Electronic Wave Functions, 349
Pin, S. See Alpert, B., 281
Pipin, J. See Bishop, D. M., 103
Pisani, L. See Corongiu, G., 119

Reynolds, C. A. See Wright, J. D., 135
Rüterjans, H. See Fushman, D., 291

Saba, G.
—; Casu, M.; Lai, A.: Application of Quadrupolar ^{131}Xe-NMR Relaxation to the Study of Macromolecular Systems, 343
Schmidt, M.
—; Parak, F.; Corongiu, G.: Density Distributions in the Water Shell of Myoglobin, 263
Schweitzer-Stenner, R. See Gilch, H., 301
Simon, K. V. See Panin, A. I., 471
Simos, T. E.
—; Tougelidis, G.: A Variable-Step Algorithm for Computing Eigenvalues of the Radial Schrödinger Equation, 477
Sire, O. See Alpert, B., 281
Smith, L. J.
—; Dobson, C. M.: NMR and Protein Dynamics, 315
Stepanov, A. V.
—; Tavgin, V. L.: Development of the Activation Process Model: Compensation Effect, 7
Su, Y.-N.
—; Tsai, M.-S.; Chu, S.-Y.: H^+, Li^+, and Na^+ Affinity Study of N_2, P_2, and Their Isoelectronic Species, 487

Suzzi Valli, G. See Corongiu, G., 119

Taşeli, H.
—; Eid, R.: Eigenvalues of the Two-Dimensional Schrödinger Equation with Nonseparable Potentials, 183
Tavgin, V. L. See Stepanov, A. V., 7
Thüring, H. See Fushman, D., 291
Toma, F. See Jamin, N., 333
Tougelidis, G. See Simos, T. E., 477
Trickey, S. B.
Review of Modern Density Functional Theory—A Tool for Chemistry, Vol. 2 in the series Theoretical and Computational Chemistry, edited by J. M. Seminario and P. Politzer, 259
Tsai, M.-S. See Su, Y.-N., 487

Wang, Y. See Zhao, H., 97
Wang, Y.-G. See Zhong, S.-J., 173
Watts, J. D. See Corongiu, G., 119
Weisemann, R. See Fushman, D., 291
Wright, J. D.
—; Reynolds, C. A.: Energetics of Reactions Involving Radical Species in Solution: Calculation of Relative Electrode Potentials for Nitroimidazoles Using Density Functional and Continuum Methods, 135

Ye, S.
—; Dai, S.: Ab Initio Study on the Reaction of $Y^+ + NH_3 \rightarrow Y^+NH + H_2$, 421
Yeates, A. T. See Das, G. P., 251

Zargainian, L. See Jamin, N., 333
Zentz, C. See Alpert, B., 281
Zhang, Q.-Er See Zhong, S.-J., 173
Zhang, R.
Improved Scheme to Solve the Atomic Schrödinger Equation in Hyperspherical Coordinates, 203
Zhao, H.
—; Wang, Y.: Calculation of the Coefficients of the Characteristic Polynomial from Its Subgraphs, 97
Zhong, S.-J.
—; Wang, Y.-G.; Zhang, Q.-Er.: Real Irreducible Tensorial Sets, 173
Zimpel, Z.
—; Mezey, P. G.: A Topological Analysis of Molecular Shape and Structure, 379

International Journal of Quantum Chemistry Subject Index—Volume 59

Ab initio, 119, 227, 349, 421, 495
Ab initio calculations, 487
Ab initio Hartree–Fock (HF), 427
Accompanying coordinate expansion (ACE) formulas, 208
Activation process model, 7
Amino acid residues, 281
Atomic Schrödinger equation, 203

Backbone dynamics, 291
Born–Oppenheimer approximation, 251, 445

Characteristic polynomial, 97
Chemical dynamical events, 109
Complete active space-self-consistent-field (CASSCF), 119
Complete model space (CMS), 239
Configuration interaction (CI) spaces, 471
Conjugated molecules, 97
Correlation functionals, 3
Coupled cluster (CC), 119

DNA fragments, 333
Degeneracy, 219
Density function theory (DFT), 119
Density functional atom-optimized basis sets, 135
Density functional calculations, 135
Density functional theory (DFT) methods, 427, 495
Deoxyhemoglobin, 301
Deoxymyoglobin, 301
Dirac–Fock four-components, 119
Dissociation energies, 495
Donor-acceptor aromatics, 401
Double coset technique, 173

E(MP6), 15
Eigenvalues, 183, 477
Electrode potentials, 135
Electron-correlated wave functions, 103
Electron-repulsion integral (ERI), 208
Elementary activation, 7
Empirical Arrhenius plot, 7
Exciton-phonon interaction, 147
Excitons, 147

Feenberg scaling, 71
Feynman path integral method, 457
First-order dimensional pertubation theory, 445
Five-membered heterocycles, 401
Fluorescence anisotropy assays, 333
Full configuration interaction (FCI) energies, 57, 71

Gaussian integral, 457
Gaussian-type orbitals (GTOs), 208
Generalized Laguerre polynomials (GLPs), 203

Hamiltonian, 445
Hamiltonian techniques, 119
Harmonic oscillations, 445
Hartree–Fock (HF), 119
Heme group, 281
Hemeprotein behavior, 281
^{1}H-NMR spectroscopy, 333
Hyperpolarizability, 401
Hyperpolarizability tensors, 103
Hyperspherical coordinates, 203
Hyperspherical harmonics (HHs), 203

Imaginary frequencies, 103
Inversion recovery method, 343
Ising free-energy functional, 391
Isoelectronic species, 487

Kinetic compensation effect, 7

Landau functional, 391
Lithium-cation affinities, (LCAs), 409
Local grid method, 109

Macromolecular systems, 343
Many-Electron system, 457
Many-body perturbation theory (MBPT), 15, 31, 57, 71
Many-electron wave functions, 251
Molecular crystal, 147
Molecular dynamics (MD) simulations, 291, 315
Molecular electronic density functions, 379
Molecular orbital (MO) groups, 471
Molecular orbital calculations, 167
Molecular shape representation, 379
Monte Carlo water structures, 263
Myoglobin, 263

Near-exact wave functions, 103
Nonseparable potentials, 183
Nuclear magnetic resonance (NMR), 315

Oncoprotein c-Myb, 333
Optimized-basis-set multiconfiguration spin-coupled (OBS–MCSC) method, 349
Oscillators, 219
Oxygen containing molecules, 495

Padé approximants, 71
Perdew–Zunger correlation energy functional, 3
Piecewise perturbation analysis, 477
PM3 semiempirical calculations, 409
Potential energy surface (PES), 119
Protein matrix, 281
Protein–water system, 271
Proteins, 291
Proteins, 315

Proton affinities, 487
Proton affinities (PAs), 409

Quantum canonical Gibbs distribution, 7

Raman band, 301
Random-phase approximation, 457
Rayleigh–Ritz variational method, 183
Real bases, 173
Real irreducible tensorial sets, 173
Rotation barriers, 227
R2R3 DNA binding domain, 333

Schrödinger equation, 477
Second-order (Møller–Plesset perturbation theory (MP2), 119
Second-order phase transition, 391
Semiempirical modified Born method, 135
Singlet potential energy surface, 421
Singular potentials, 219
Sixth-order Møller–Plesset (MP6) energy, 15
Sixth-order Møller–Plesset (MP6) perturbation theory, 31, 57, 71
Sixth-order many-body perturbation theory (MBPT), 15, 31, 57, 71
Soliton transport, 251
Spectal deconvolution, 343
Spin conservation, 421
Spin-orbital two-electron integrals, 31
Subgraphs, 97

Thermal conductivity, 271
Time-dependent Hartree–Fock–Roothaan equation, 457
Time-dependent displacement, 271
Time-dependent potentials, 109
Time-independent potentials, 109
Titanium–Oxygen system, 427
2-amino-ethanethiol, 227
2-aminoethanol, 227
Two-dimensional Schrödinger equation, 183
Two-dimensional heteronuclear NMR spectroscopy, 291
2-nitrophenylcyanate, 167
2-nitrophenylthiocyanate, 167

Valance-universal coupled-cluster (VU-CC) methods, 239
Variable-step algorithm, 477
Velocity autocorrelation function, 271

Water coordinates, 263
Wave functions, 349

^{131}Xe-NMR longitudinal relaxation rates, 343